Lead Monitoring Results Lead and Copper Monitoring Data Report

	System Name and PWSID #						
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Lead Results (mg/l)	Year of Plumbing	
	- - 						
	- -						
	-						
	-						
	- - 						
	- -						
	_						
	-						
	- - 						
	- -						
	-						
	-						
	- - 						

Lead and Copper Monitoring Data Report

	Monitoring Period						
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Lead Results (mg/l)	Year of Plumbing	
	- -						
	-						
	- -						
	.						
	- -						
	<u>-</u>						
	-						
	- 						
	-						
	- 						
	-						
	· 						
	-						
	- 						
	-						
	-						

Lead Monitoring Results Lead and Copper Monitoring Data Report

	Monitoring Period						
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Lead Results (mg/l)	Year of Plumbing	
	- -						
	- -						
	-						
	-						
	<u> </u>						
	-						
	_						
	-						
	-						
						-	
	- -						
	<u>.</u>						
	-						
	- 						

Copper Monitoring Results Lead and Copper Monitoring Data Report

	System Name and PWSID # Monitoring Period						
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Copper Results (mg/l)	Year of Plumbing	
	·						
	•						

Copper Monitoring Results Lead and Copper Monitoring Data Report

	System Nat Monitoring					
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Copper Results (mg/l)	Year of Plumbing
	- - 					
	_					
	<u> </u>					
	-					
	- -					
	_ _ 					
	_					
	- 					
	- -					
	- - 					
	_					
	<u> </u>					
	-					

Copper Monitoring Results Lead and Copper Monitoring Data Report

	System Name and PWSID # Monitoring Period						
Address Only	Tier 1, 2, or 3	Lead Service Line Sample (Yes or No)	Date of Collection	Date of Analysis	Copper Results (mg/l)	Year of Plumbing	
	· ·						
	-						
	·						
	·						
	· ·						
	·						
	-						

Lead and Copper Results Delivery Certification Consumer Notification Completion Report

PW:	S Name:	PWSID:
Pop	ulation:	
DEL	IVERY METHO	D
Wat	erworks serving	a population greater than 3,300 people:
		f each lead and copper sampling location were notified by U.S. Mail on(date).
Wate	erworks serving	a population of 3,300 or fewer people (choose either delivery method):
□Т	he occupants of	f each lead sampling location were notified by U.S. Mail on (date).
	•	f each lead sampling location were notified by hand/direct delivery on(date).
their a fac conta syste both	lead and coppe t sheet on the h act information f m learned of th the occupant(s)	sidence from where lead and copper tap water samples were collected has been informed of r monitoring results along with the following information: MCLGs, ALs and their definitions, ealth effects of lead which includes steps to reduce exposure to lead in drinking water, and or the water utility. I further certify that notification was completed within 30 days after our le results from the Office of Drinking Water, and that if the residence is a rental property, and rental property owner were notified.
		Print Name:
JOD I	me:	Phone: Date:
		INSTRUCTIONS:
1.	Complete thi	s form.
2.	➤ The ➤ The	this form a completed copy of the following documents: e "Consumer Notification of Lead/Copper Tap Monitoring Results" e "ADEM Form 405" ur Lead/Copper monitoring results from your lab
3.	Within three I	months from the end of the monitoring period, mail this form with attachments to:
		make sure you upload your documents to the eDWR website: /app.adem.alabama.gov/edwr/default.aspx

							• •				
	Date	9									
	Fron	n		(water system)							
	То			(customer)							
			Cons	umer Not	ification of Lead	d/Copper Ta	p Monitoring F	Results	Total Control of the		
We appred		our pa	articipatic from	on in the le the	ead and copper t sample on	collected	g program. Th at you (date).		port the lead and e (address),		
		Cont	aminant	Action Level	Unit of Measurement	Results at your home	90 th percentile*	Compliance Violation?			
		Lead		0.015	mg/l			Yes or No			
		Сорр	er	1.3	mg/l			Yes or No			
for lead in	drinki conc	ng wa entrat	ter at 0.0)15 mg/l (r	nilligrams per lit	er) and the A	ction Level for	r Copper at 1.3	the Action Level mg/l. The Action ts which a water		
				<u>lmp</u> c	ortant Health In	formation at	out Lead				
percent of t a Maximum	the ho	mes s tamina	sampled (ant Level	90 th perce Goal (MC	entile value). Be	cause lead n zero. The N	nay pose serion MCLG is the le	us health risks, t vel of a contam	ad in at least 90 he EPA also set inant in drinking		
below the A such as the	Action e preseep th	Leve sence le corr	I. These of lead so osivity of	individua solder or b	l site lead levels crass faucets, fi	s may be due ttings and va	e to conditions alves that may	unique to the i contain lead.	re waterworks is ndividual home, Our waterworks h from plumbing		
					ke to reduce you uce your exposu				ew the enclosed		

_(phone).

Sincerely,

If you have any questions, contact_____

Fact Sheet: LEAD IN DRINKING WATER Important Information on How to Protect Your Health

Lead is a common metal that has been in many consumer products but is now known to be harmful to human health if ingested or inhaled. It can be found in lead-based paint, air, soil, household dust, food, some types of pottery, and drinking water. Lead is rarely found in natural sources of water such as rivers, lakes, wells or springs.

What Are The Health Effects of Lead?

When people come in contact with lead, it may enter their bodies and accumulate over time, resulting in damage to the brain and kidneys, and can interfere with the production of red blood cells that carry oxygen to all parts of your body. The greatest risk of lead exposure is to infants, young children, and pregnant women. Lead in water can be a special problem for infants, whose diets may be mostly liquids, such as baby formulas or concentrated juices mixed with water. Smaller bodies can absorb lead more rapidly than bigger ones, so amounts of lead that won't hurt an adult can be very harmful to a child and scientists have linked the effects of lead on the brain with lowered IQ in children. During pregnancy, the child receives lead from the mother's bones, which may affect brain development. Adults who drink this water over many years could develop kidney problems or high blood pressure.

What Are The Sources of Lead?

The primary sources of lead exposure for most children are deteriorating lead-based paint, lead-contaminated dust, and lead-contaminated residential soil. Exposure to lead is a significant health concern, especially for young children and infants whose growing bodies tend to absorb more lead than the average adult. If you are concerned about lead exposure, parents should ask their health care providers about testing children for high levels of lead in the blood.

What Can I Do To Reduce Exposure to Lead in Drinking Water?

Lead may work its way into drinking water after the water entered the distribution system and is on its way to consumers taps. This usually happens through the corrosion of materials containing lead in household plumbing. These materials include brass faucets, lead solder on copper pipes, lead pipes, or lead service lines connecting the water main to the inside plumbing. Lead pipes are no longer installed for service lines or in household plumbing and lead solder has been outlawed in Virginia since 1985.

There are several steps you can take to reduce your exposure to lead in drinking water. These include:

- 1. Run your water to flush out lead. If water hasn't been used for several hours, allow the water to run at the tap for 15-30 seconds or until it becomes cold or reaches a steady temperature before using it for drinking or cooking. This flushes lead-containing water from the pipes. The water you run from drinking water taps does not have to be wasted. You can use this water for cleaning purposes or for watering plants. You may want to keep a container of drinking water in your refrigerator, so you don't have to run water every time you need it.
- 2. Use cold water for cooking and preparing baby formula. Do not cook with or drink water from the hot water tap as lead dissolves more easily into hot water. Do not use water from the hot water tap to make baby formula.
- 3. Do not boil water to remove lead. Boiling water will not reduce lead.
- 4. Look for alternative sources or treatment of water. You may want to consider purchasing bottled water or a water filter. Read the package to be sure the filter is approved to reduce lead or contact the National Sanitation Foundation at 800-NSF-8010 or www.nsf.org for information on performance standards for water filters. If you choose to install a lead removal filter, be sure to maintain and replace a filter device in accordance with the manufacturer's instructions to protect water quality.
- 5. **Get your child tested.** Contact your local health department or healthcare provider to find out how you can get your child tested for lead if you are concerned about exposure.
- 6. Identify if your plumbing fixtures contain lead. New brass faucets, fittings, and valves, including those advertised as "lead-free," may contribute lead to drinking water. The law currently allows end-use brass fixtures, such as faucets, with up to 8% lead to be labeled as "lead free." Visit the National Sanitation Foundation Web site at www.nsf.org to learn more about lead-containing plumbing fixtures.

For More Information

For more information on reducing lead exposure around your home and the health effects of lead, visit EPA's web site at www.epa.gov/lead, call the National Lead Information Center at 800-424-LEAD, call your water system, or contact your health care provider.